

QUALITY
STABLE
PROFESSIONAL
WOODWORKING MACHINERY

WOODWORKING
MACHINERY
SOLUTIONS



QINGDAO SIMON MACHINERY CO.,LTD

ADDRESS: CHENGYANG DISTRICT, QINGDAO, CHINA

EMAIL: SIMONGUAN1026@HOTMAIL.COM

WECHAT/WHATSAPP/PHONE;0086-134-5529-7096

WEB: WWW.SIMONWOODMACHINE.COM

INSTAGRAM: GUANPENGSIMON

FACEBOOK: PENGGUAN SIMON

YOUTUBE:SIMONWOODMACHINE

2023

QINGDAO SIMON MACHINERY CO.,LTD



CONTENTS

SANDING SERIES / 02

UV FINISHING SERIES / 08

VENEER PRODUCTION / 12

PANEL FURNITURE / 24

PAINTING SERIES / 28

SOLID WOOD / 30

FOCUS ON QUALITY

INTRODUCTION

QINGDAO SIMON MACHINERY CO.,LTD mainly products are sanding machine, parquet finishing line, veneer machine, solid wood machine and so on.

The products are exported to Europe, South America, Southeast Asia, Middle Asia and other more than 40 countries. Company has deals various types of domestic and foreign woodworking machinery, and supply the board, solid wood, floor production line, equipment, accessories, maintenance and other services.

Under the operating tenet of professional, devotion, development and improvement, we are continuously winning good reputation in the woodworking industry by our excellent quality and satisfying service and best prices. We believe that our devotion and passion in the products will meet all your demands and we can offer you always a better solution.



BSG 400/630/100/130R-RP

砂光机
Sander Machine

用途 FUNCTION

机床装有自动定厚装置和控制装置，适用于定厚砂光，精确砂光各种板材。机床技术指标先进，精度高，布局合理，操作方便，具有国际先进水平。该机床是实木家具，板式家具，门窗制造，人造大理石等行业必备设备之一。

It is suitable for calibrating and fine sanding laminate lumber, composite board, particle board, solid wood, panel furniture, bamboo floor, wood door and etc. Its indexed are advanced and it is in high precision, reasonable composition and convenient operation. It has the world advanced level.
This machine is one of the necessary equipment for integrated wood and furniture manufacturing.



型号	MODEL	BSG400R-RP	BSG630R-RP	BSG100R-RP	BSG130R-RP
加工宽度	Working width	30-400mm	30-630mm	20-1000mm	20-1300mm
加工厚度	Working thickness	3-100mm	3-100mm	3-100mm	3-100mm
送料速度	Feeding speed	5-25m/min	5-25m/min	5-25m/min	5-25m/min
砂带尺寸	Size of abrasive belt	1800×410mm	630×2000mm	2000*1000mm	2200*1310mm
第一砂架功率	1st group motor power	7.5Kw	11Kw	15Kw	30Kw
第二砂架功率	2nd group motor power	5.5Kw	7.5Kw	11Kw	22Kw
送料功率	Feeding motor	0.75kw	1.5kw	2.2Kw	4Kw
升降电机	Lifting Motor	0.37Kw	0.37Kw	0.37Kw	0.37Kw
毛刷辊电机	Brush roller		0.37kw	0.37Kw	0.37Kw
气压	Working pressure	0.55Mpa	0.55Mpa	> 0.55Mpa	> 0.55Mpa
外形尺寸	Dimensions	1250*1700*1800mm	1820*1885*1850mm	1820*1885*1850mm	2200*2020*2130mm
重量	Weight	1100kg	2000kg	2200Kg	3000Kg

BSG630 R-RP

砂光线
Top and Bottom Sander Line

用途 FUNCTION

砂光线配套一台上浮表面跟底面砂光机，一次可以实现两个面定厚砂光。机床装有自动定厚装置和控制装置，适用于定厚砂光，精确砂光各种板材。机床技术指标先进，精度高，布局合理，操作方便，具有国际先进水平。该机床是实木家具，板式家具，门窗制造，人造大理石等行业必备设备之一。

This sander line have one set top and bottom sander machine, sanding two sides workpiece one time.It is suitable for calibrating and fine sanding laminate lumber, composite board, particle board, solid wood, panel furniture, bamboo floor, wood door and etc. Its indexed are advanced and it is in high precision, reasonable composition and convenient operation. It has the world advanced level.
This machine is one of the necessary equipment for integrated wood and furniture manufacturing.



型号	MODEL	BSG630R-RP Top	BSG630R-RP Bottom
工作宽度	Working width	30-630mm	30-630mm
加工厚度	Working thickness	3-100mm	3-100mm
送料速度	Feed speed	3-20m/min	3-20m/min
砂带尺寸	Size of abrasive belt	630*1900mm	630*1900mm
第一砂架功率	1st group motor power	11kw	11kw
第二砂架功率	2nd group motor power	7.5kw	7.5kw
送料功率	Feeding power	1.5kw	1.5kw
升降功率	Lifting motor power	0.75kw	0.75kw
毛刷辊功率	Brush motor power	0.37kw	
中间输送带功率尺寸	Middle conveyor	0.75kw 630*2000mm	0.75kw 630*2000mm
气压	Air pressure	0.55Mpa	0.55Mpa
外形尺寸	Dimension	1250*1650*1950mm	1250*1650*1950mm
重量	Weight	2000Kg	2000Kg

Options 选配：1000/1300mm

底漆砂光机
Primer Sander Machine



用途 FUNCTION

上浮式砂光机，上机体移动，适用于配套辊涂或者喷涂等油漆连线砂光，
Primer sander machine is working table fixed, top body move up and down, used for spray painting, UV coating etc production line.

型号	MODEL	BSG630R	BSG100R	BSG130R
加工宽度	Width of sanded panel	20-630mm	20-1000mm	20-1300mm
加工厚度	Thickness of sanded panel	3-90mm	3-90mm	3-90mm
送料速度	Feed speed	3-18m/min	3-18m/min	3-18m/min
砂带尺寸	Size of abrasive belt	630*2200mm	1000*2200mm	1310*2200mm
第一砂架功率	1st group motor power	7.5Kw	7.5Kw	11Kw
送料功率	Feeding power	2.2Kw	2.2Kw	2.2Kw
升降电机	Lifting motor power	0.25Kw	0.25Kw	0.25Kw
毛刷辊功率	Brush motor power	0.37Kw	0.37Kw	0.37Kw
气压	Pressure	0.55Mpa	0.55Mpa	0.55Mpa
重量	Weight	2000Kg	2000Kg	2000Kg
外形尺寸	Dimension	2200*1800*2130mm	2200*1800*2130mm	2200*1800*2130mm

BSG630/100/130R

130K-R-RP

刨砂机
Planer Sander Machine



用途 FUNCTION

本机床主要用来对实木板、指接材拼版、细木工板、门板、嵌木地板等厚度公差较大，硬度较大的板材进行加工，该机床技术先进，精确度高，布局合理，结构新颖，操作方便，具有国际先进水平。
This machine is mainly used for solid wood board, panel, finger joined panel, door, flooring etc, with advanced technology, high precision, reasonable structure and easy operation

型号	MODEL	BSG130K-R	BSG130K-R-RP
加工宽度	Width of sanded panel	40-1300mm	40-1300mm
加工厚度	Thickness of sanded panel	3-150mm	3-150mm
送料速度	Feeding speed	5-25m/min	5-25m/min
砂带尺寸	Size of abrasive belt	1300×2200mm	1300×2200mm
刨刀辊功率	Power of planing roller	22kw	22kw
第二砂架功率	2nd group motor power	30kw	30kw
第三砂架功率	3rd group motor power		22kw
送料功率	Feeding power	4Kw	4Kw
升降电机	Lifting motor power	0.37Kw	0.37Kw
毛刷辊电机	Brush motor power	0.37Kw	0.37Kw
气压	Working pressure	0.55MPa	0.55MPa
外形尺寸	Dimensions	2200×2260×2180mm	2500×2260×2180mm
重量	Weight	4000kg	4500kg

重型砂光机

Heavy Duty Sander Machine



用途 FUNCTION

- 该机是重型砂光机，机床装有自动定厚装置和控制装置，适用于定厚砂光，精确砂光各种板材。机床技术指标先进，精度高，布局合理，操作方便，具有国际先进水平。该机床是实木家具，板式家具，门窗制造，人造大理石等行业必备设备之一。
- Its heavy duty wide belt sander machine, It is suitable for calibrating and fine sanding laminate lumber, composite board, particle board, solid wood, panel furniture, bamboo floor, wood door and etc. Its indexed are advanced and it is in high precision, reasonable composition and convenient operation. It has the world advanced level.
This machine is one of the necessary equipment for integrated wood and furniture manufacturing.

型号	MODEL	BSG2213R-RP	BSG2313R-R-RP
加工宽度	Working width	40-1300mm	40-1300mm
加工厚度	Working thickness	4-80mm	4-80mm
送料速度	feeding speed	8-40m/min	8-40m/min
砂带尺寸	size of abrasive belt	1330x2800mm	1330x2800mm
第一砂架功率	1st group motor power	55kw	55kw
第二砂架功率	2nd group motor power	45kw	45kw
第三砂架功率	3rd group motor power		30kw
送料功率	Feeding motor	7.5kw	11kw
升降电机	Lifting motor	1.1Kw	1.1Kw
毛刷电机	Brush motor	0.37Kw	0.37Kw
气压	Working pressure	0.55Mpa	0.55Mpa
外形尺寸	Dimensions	2630x3260x2225mm	2630x3400x2225mm
重量	Weight	11500kg	12500kg

BSG2213/2313

MXS-W9

线条砂光机

Linear Profile Sander Machine



用途 FUNCTION

用于木线条喷漆前后的砂光

Its used for profile sanding, for raw materials profiles and also after painting

型号	MODEL	MXS-W9
加工宽度	Working width	20-230mm
最小加工长度	Min working length	500mm
加工厚度	Working thickness	3-80mm
送料速度	Feeding speed	3-40m/min
送料电机	Feeding motor power	0.55kw*8
主电机功率	Main motor power	1.5kw*9
主轴数量	Spindle amount	9 sets
主轴转速	Speed of spindle	2880r/min
主轴旋转角度	Rotation of spindle	Can adjust 0-360°
主轴尺寸	Spindle size(Dia *L)	Φ25.4×100mm*7 , Φ25.4×150mm*2
砂轮尺寸	Abrasive wheel size	200mm
总功率	Total motor power	23kw
外形尺寸	Dimensions	6300×1500×1550mm
重量	Weight	3000KGS



LZGT600/1300

辊涂机 Roller Coater Machine



用途 FUNCTION

本机主要用于板式家具、地板、平面门、工艺品等表面的底漆、面漆辊涂，UV, PU, PE, NC以及水性漆的辊涂

This machine is mainly used for board type furniture, floor, flush door, handicraft surface primer and top paint; this machine can be applicable to UV, PU, PE, NC and water based coatings

型号	MODEL	LGT600	LZGT600	LZGT1300	LZGT1300
加工宽度	Coating width	600mm	600mm	1300mm	1300mm
加工厚度	Working Thickness	2-90mm	2-90mm	2-90mm	2-90mm
送料功率	Feeding power	0.75kw	0.75kw	1.5kw	1.5kw
涂布辊功率	Applicator roller power	0.75kw	0.75kw*2	1.5kw	1.5KW*2
电光棍功率	Doctor roller power	0.75kw	0.37kw*2	0.75kw	0.75kw*2
加热功率	Heating power	2kw	2kw	3kw	3kw
外形尺寸	Dimensions	1100*1500*1450mm	1720*1500*1450mm	1340*2600*1580mm	1750*2600*1580mm
重量	Weight	1000kg	1300kg	1500kg	1900kg

LZZG 600/1300 UV干燥机 UV Dryer Machine

用途 FUNCTION

- 用于干燥喷涂线和辊涂线UV漆
- It is used for drying UV coating and UV spray painting



型号	MODEL	LZZG600	LZZG1300
加工宽度	Drying width	600mm	1300mm
加工厚度	Working Thickness	2-90mm	2-90mm
送料功率	Feeding power	0.75kw	1.5kw
灯功率	UV lamp power	5.6kw*3	11.2kw*3
风机功率	Fan power	0.37kw*3	1.1kw*3
外形尺寸	Dimensions	2240*1400*1460mm	2300*2400*1500mm
重量	Weight	1200kg	1700kg

LZSS600/1300 皮带输送机 Conveyor Table



型号	MODEL	LZSS600	LZSS1300
加工宽度	Working width	600mm	1300mm
送料速度	Feeding speed	2-18m/min	2-18m/min
输送功率	Feeding power	0.75kw	1.5kw
重量	Weight	210kg	310kg

LZLP600/1300 流平机 IR Heating Machine

用途 FUNCTION

- 红外线加热，干燥油漆当中的水分
- IR hearing, drying the water inside of painting



型号	MODEL	LZLP600	LZLP1300
加工宽度	Max. working width	600mm	1300mm
加工厚度	Working Thickness	2-90mm	2-90mm
输送功率	Feeding power	0.75kw	1.5kw
工作率	Power	11.5kw	16.7kw
外形尺寸	Dimensions	6000*930*1850mm	6000*1830*1850mm
重量	Weight	1200kg	1700kg

CC600/1300 除尘机 Dust Cleaning Machine

用途 FUNCTION

- 本机用来清除工件表面因前道工序而残留下来的粉尘，从而提高工件的涂装质量。
- Its used for remove the dust from the last process, improve the painting quality



型号	MODEL	CC600	CC1300
加工宽度	Max. working width	600mm	1300mm
加工厚度	Working Thickness	2-90mm	2-90mm
送料速度	Feeding speed	2-16m/min	2-16m/min
工作率	Power	2.57kw	3.65kw
外形尺寸	Dimensions	2500*1100*1330mm	2500*1830*1330mm
重量	Weight	650kg	1060kg

OSL600/1300 地板擦油机 Parquet Oil Wiping line




用途 FUNCTION

- 此机用于把油擦进地板表面
- The machine is used for wiping oil inside one the parquet

型号	MODEL	OSL 600	OSL 1300
工作宽度	Working width	600mm	1300mm
输送速度	Speed	2-18m/min	2-18m/min
加工厚度	Working thickness	2-80mm	2-80mm
最小加工长度	Min length of workpiece	400mm	400mm
毛刷辊功率	Power of brush roller	0.75kw*2	1.5kw*2
圆盘功率	Power of pad	1.5kw*2	1.5kw*4
圆盘直径	Pad diameter	600 mm	600 mm
输送功率	Power of conveyor	1.5kw	2.2kw
重量	Weight	1100kgs	2020kgs
外形尺寸	Dimension	3500*800*1600mm	3500*2100*1600mm

MX-1212 鱼骨地板 Chevron Saw Milling Machine




用途 FUNCTION

- 用于鱼骨地板的切断开槽
- Its used for chevron saw cutting milling machine

型号	MODEL	MX-1212
切割长度	Cutting length	410-1200mm(90 degree) , 410-1000mm(45/60 degree)
锯功率	Saw power	2.2kw*4
铣刀功率	Milling power	3kw*2
送料速度	Feeding power	1.1kw
锯轴转速	Saw spindle speed	2840r/min
铣刀轴转速	Milling spindle speed	8600r/min
产量	Capacity	W100*L520mm*5 pieces , W100*L1200mm* 5pieces180-200m2
外形尺寸	Dimension	2400*2300*1600mm
重量	Weight	2400kgs

PARQUET SAW MARKING SERIES 地板圆锯痕机 Parquet Saw Mark Distressing Machine




用途 FUNCTION

- 此机主要用于地板的圆锯痕效果
- The machine is professional designed for wood floors, Making Curve mark wood floor instead of man-made .It is used in the surface treatment of wood, ply-wood

输送带宽度	Conveyor Width	0-600mm
有效加工宽度	Working effective width	220mm
加工厚度	Working Thickness	10-80mm
工件长度	Working length	≥700mm
送料速度	Feed Speed	0-12m/min
送料功率	Feeding power	1.5kw
锯功率	Saw motor	2.2KW*2
产量	Capacity	1500m2
外形尺寸	Dimensions	2200*1500*1600mm
重量	Weight	1100KGS

地板带锯痕 Parquet Band Saw Marking Machine



用途 FUNCTION

- 此机主要用于地板的带锯痕效果
- The machine is professional designed for wood floors, Making Curve mark wood floor instead of man-made .It is used in the surface treatment of wood, ply-wood

型号	MODEL	220#
加工宽度	Working Width	3-270mm
加工厚度	Working Thickness	5-30mm
最小加工长度	Min working length	300mm
带锯痕深度	Depth of band saw	0-50mm
电机功率	Band saw power	2.2kw
送料功率	Feeding power	0.75kw frequency
外形尺寸	Dimensions	2600*1250*1730mm
重量	Weight	950kgs

6/8轴手刮痕 Parquet Auto Hand Scrapping Machine




用途 FUNCTION

- 此机主要用于地板的手工刮痕效果
- The machine is professional designed for wood floors, Making Curve mark wood floor instead of man-made .It is used in the surface treatment of wood, ply-wood, its replace manual scrapping

工作宽度	Working Width	40-220mm	40-220mm
加工厚度	Working Thickness	6-30mm	8-30mm
送料速度	Speed	0-30m/min	0-30m/min
气压	Cylinder pressure	0.6-0.8MPA	0.6-0.8MPA
送料功率	Feeding power	5.5kw	7.5kw
主轴功率	Spindle power	6units *2.2kw	8units *2.2kw
总功率	Total power	20.2kw	34kw
外形尺寸	Dimensions	3900*2100*2100mm	3900*2100*2100mm

LZLS400/600/1300 拉丝机 Wire Brush Sander



用途 FUNCTION


- 本机主要用用于地板、家具、贴面板、木塑、建材等平面板材，表面上浮雕、直纹拉丝，经本机处理过的板材表面防滑，具有立体感、木纹凹凸明显。
- Its use for flooring, furniture, laminated panel board, WPC, wire brushing on the surface

型号	MODEL	LZLS600	LZLS1300
加工宽度	Max. working width	600mm	1270mm
加工厚度	working thickness	4-90mm	4-90mm
送料速度	Feeding speed	2-18m/min	2-18m/min
第一组钢丝辊功率	1st Wire brush roller power	7.5kw	11kw
第二组钢丝辊功率	2nd Wire brush roller power	7.5kw	11kw
第三组钢丝辊功率	3rd Wire brush roller power	7.5kw	7.5kw
第四组钢丝辊功率	4th Wire brush roller power	5.5kw	7.5kw
第五组杜邦丝功率	5th Polish roller power	5.5kw	7.5kw
输送功率	Feeding power	2.2kw	4kw
升降功率	Lifting power	0.75kw	0.75kw
外形尺寸	Dimension	4100x1600x1600mm	4100x2200x1600mm
重量	Weight	3500kg	4200kg

Option : 三轴四轴六轴等选配 Three/Four/Six spindle

MJZ3212A/ 3215A

跑车带锯
 Automatic Log Carriage Band Sawing Machine



用途 FUNCTION


用于原木锯切

Its used for log saw cutting

型号	MODEL	MJZ3212A	MJZ3215A
锯轮直径	Saw wheel diameter	1250mm	1500mm
锯轮宽度	Saw wheel width	140mm	180mm
锯条厚度	Saw blade thickness	1.25mm	1.25mm
锯轮转速	Saw round speed	600r/min	600r/min
最大切割尺寸	Max cutting Log size (D × L)	900 × 6000mm	1500 × 6000mm
最大原木重量	Max log weight	4000kg	6000kg
液压压力	Hydraulic system pressure	7mpa	7mpa
带锯功率	Saw motor power	37kw	55kw
液压功率	Hydraulic system motor power	5.5kw	5.5kw
跑车功率	Car motor power	7.5kw	7.5kw
跑车速度	Car for/backward speed	0-70m/min	0-70m/min
跑车长度	Carriage body length	6000mm	6000mm
重量	Weight	1000kg	16500kg

BB1335/1342

立式刨切机
 Vertical Veneer Slicer



用途 FUNCTION


主要用于实木，科技木和复合板材的切片，工作效率高，单板厚度均匀。广泛的适用于胶合板，家具，地板，建筑等装饰单板。

It is mainly for slicing solid wood, engineer wood and other composite board, working efficiency is high, and veneer thickness is uniform. It is widely adopted in decorative veneer of plywood, furniture, flooring, construction industry and so on.

型号	MODEL	BB1342	BB1335
最大切割尺寸	Max allowed wood size	3900x760x760mm	3300x400x500mm
刨刀尺寸	Size of the knife	4200x200x19mm	3500*200*19mm
切片厚度	Slicing thickness	0.2-3mm	0.2-3mm
出片速度	Slicing speed	max.80pcs/min	max.80pcs/min
夹木方式	Wood clamping method	液压hydraulic control	液压hydraulic control
总功率	Total power	75Kw	58Kw
主电机功率	Main motor	55kw	45Kw
液压电机功率	Hydraulic motor	11kw	5.5Kw
刀台进退电机	Knife-holder feeding motor	3.5Kw*2	5.5Kw
热循环泵电机	Circulating heat water motor	0.75kw	0.75Kw
输片电机	Veneer Conveyor motor	1.5kw	1.5Kw
外形尺寸	Dimension (LxWxH)	7700x5800x4100mm	6800x5000x3700mm
机器重量	Weight	40T	24T

BB1131B/1135B/1142B

水平刨切机 Horizontal Veneer Slicer



用途 FUNCTION


主要用于实木，科技木和复合板材的切片，工作效率高，单板厚度均匀。广泛的适用于胶合板，家具，地板，建筑等装饰单板。

It is mainly for slicing solid wood, engineer wood and other composite board, working efficiency is high, and veneer thickness is uniform. It is widely adopt in decorative veneer of plywood, furniture, flooring, construction industry and so on.

型号	MODEL	BB1131B	BB1135B	BB1142B
最大切割尺寸	Max allowed wood size	3000*510*850mm	3200*600*850mm	4000*600*850mm
刨刀尺寸	Blade size	3100*200*20mm	3500*200*20mm	4200*200*20mm
切片厚度	Veneer thickness	0.1-2.0mm	0.1-2mm	0.1-2mm
出片速度	Cut speed	Max32pcs/min	Max32pcs/min	Max32pcs/min
夹木方式	Clamping methods	手动/自动Auto & manual	手动/自动Auto & manual	手动/自动Auto & manual
主电机功率	Main motor power	22Kw (AC 交流)	37Kw (DC 交流)	45Kw (DC 交流)
夹木电机功率	Wood clamping motor	5.5Kw (液压)	5.5Kw (液压)	5.5Kw (液压)
送料电机功率	Feed motor	3Kw (servo伺服)	5.5Kw(servo伺服)	5.5Kw(servo伺服)
外形尺寸	Dimension	7698*4152*2808mm	9000*4500*2800mm	9700*6300*2800mm
机器重量	Weight	19T	23T	26T

Option: BB113B can slicing 2600*1300*850mm Recon Engineer Wood Block BB1135B可以刨切2600*1300mm科技木方

MZQ250/350 纵向刨切机 Longitudinal Veneer Slicer




用途 FUNCTION

- 纵向刨切机是用来切木材单板。它是实木地板、家具、仪器和装饰生产线的必备设备。
- Longitudinal Veneer slicer is used to slice the timber into veneers. It is the necessary equipment for wood floor board, furniture, instrument and decoration production lines.

型号	MODEL	MZQ250	MZQ350
最大切割宽度	Max cutting width	250mm	350mm
最大切割厚度	Max cutting thickness	250mm	350mm
送料速度	Feeding speed	58m/min	60m/min
刨切厚度	Slicing thickness	1-6mm	1-6mm
功率	Power	19.6KW	33.75kw
外形尺寸	Dimension	3360*1630*2000mm	4600*2000*2000mm
重量	Weight	8500kg	15000kgs

MF2522/2530/2535 直线导轨磨刀机 Linear Guide Knife Grinder Machine



用途 FUNCTION

- 本机主要电磁吸盘研磨所有类型的线性刀，像断头刀，切片刀，剥皮机刀，切粒机刀，裁纸刀、剪板机刀片
- This machine electromagnetic chuck grind all type of linear knives, like guillotine knives, slicer knife, peeling machine knife, granulator knife, cutting paper knife and Shearing Blades.

型号	Name/ model	MMD2200	MMD3000	MMD3500
最大磨削长度	Max grinding length	2200mm	3100mm	3500mm
工作台尺寸	Working table size	2200*180mm	3100*180mm	3500*180mm
磨头电机功率	Grinding head power	4kw	4kw	4kw
砂轮线速度	Linear speed of grinding wheel	15m/s	15m/s	15m/s
溜板速度	Sliding speed of grinding plate	0-25m/min	0-25m/min	0-25m/min
工作台角度范围	Tilting range of the working table	±90°	±90°	±90°
砂轮形状	Form for grinding wheel	Cup Style	Cup Style	Cup Style
砂轮尺寸	Size of grinding wheel (mm)	Φ200x110x32	Φ200x110x32	Φ200x110x32
外形尺寸	Dimension	4000*1400*1400mm	5300*1400*1400mm	5800*1400*1400mm
重量	Weight	2400kg	2800kg	3100kg

SG35 6+2/8+2

S型烘干机
 S type Veneer Mesh Dryer



用途 FUNCTION

用于烘干刨切，旋切木皮
 Its used for drying slicing, peeling veneer

型号	MODEL	SG35/6+2	SG35/8+2
网带宽度	Mesh Width	3500mm	3500mm
烘干木皮厚度	Working thickness	0.15-3mm	0.15-3mm
工作层数	Working layer	1	1
热风长度	Heating room length	2000*6=12000mm	2000*8=16000mm
冷风长度	Cooling room length	2000*2=4000mm	2000*2=4000mm
自然冷却长度	Natural length	2000mm	2000mm
送料速度	Feeding speed	2.5-25m/min	2.5-25m/min
总功率	Total power	111kw	133kw
送料功率	Feeding motor	2*(7.5+5.5)=26kw	2*(7.5+5.5)=26kw
热风功率	Heating motor	11kw *6=66kw	11kw*8=88kw
冷风功率	Cooling motor	5.5+4kw)*2=19kw	5.5+4kw)*2=19kw
干燥能力	Dry capability	0.6mm thickness 120℃ ≈1.6 m3/h	0.6mm thickness 120℃ ≈2 m3/h
热源	Heating medium	Steam or thermal oil蒸汽/导热油炉	Steam or thermal oil蒸汽/导热油炉
重量	Weight	78T	81T
外形尺寸	Dimension	23.3*5.7*5.86m	27.3*5.7*5.86m

BG2726/BG2725

网带/辊筒烘干机
 Roller/Mesh Veneer Dryer Machine




用途 FUNCTION

用于烘干刨切，旋切木皮
 Its used for drying slicing, peeling veneer

型号	Model	BG3222 MESH	BG2822 ROLLER
进料宽度	Width of feed inlet	3200mm	2800mm
烘干木皮厚度	Working thickness	0.2-1.5mm	0.2-1.5mm
工作层数	Working layers	1	1
热风长度	Heating length	16000mm	16000mm
冷风长度	Cooling length	2000mm	2000mm
进料区	Infeeding length	2000mm	2000mm
出料区	Outfeeding length	2000mm	2000mm
热风功率	Power of heating motor	7.5kw*8sets	5.5kw*8sets
冷风功率	Power of cooling motor	4.0kw*2sets	4.0kw*2sets
送料功率	Power of driving motor	4.0kw	4.0kw
总功率	Total power	72.75kw	50.45kw
干燥温度	Drying temperature	90 -130℃	90 -130℃
初始含水率	Initial moisture	70%	70%
最后含水率	Final moisture	10%	10%
热源	Heating medium	Steam or Thermal oil	Steam or Thermal oil
干燥能力	Daily out put	0.3m3/H	0.3m3/H
外形尺寸	Dimension	22*4.5*1.66m	22 X4.5 X2.5m

MQJ268A/320A/360A 液压剪切机 Hydraulic Veneer Clipper/Guillotine



用途 FUNCTION

- 用于切割旋切，刨切木皮
- It is designed for cutting piled veneer, it is a necessary equipment of wood based panel in second processing and make up patterns on varies decorative tables.

型号	MODEL	MQJ268A	MQJ320A	MQJ360A
最大切割长度	Max cutting length	2680mm	3100mm	3600mm
切割厚度（湿皮）	Max cutting thickness (one statck wet cortices	40mm	40mm	40mm
切割厚度（干皮）	Max cutting thickness (one statck wet cortices	20mm	20mm	20mm
刀具尺寸	Blade size	2750×125×14mm	3200×145×14mm	3600×145×14mm
功率	Power	4kw	5.5kw	5.5kw
送料功率	Feed motor power	0.37kw	0.37	0.37kw
液压压力	Hydraulic system pressure	4-5 Mpa	4-5 Mpa	4-5 Mpa
外形尺寸	Overall dimensions (L×W×H)	4100*1400*1700 mm	4700×1500×1800 mm	4800×1500×2100 mm
重量	Weight	2500 Kg	3000 Kg	3000 Kg

MQJ268A/320A/360A 欧式液压剪切机 Europe style Hydraulic Veneer Clipper/Guillotine



用途 FUNCTION

- 用于切割旋切，刨切木皮
- It is designed for cutting piled veneer, it is a necessary equipment of wood based panel in second processing and make up patterns on varies decorative tables.

型号	Model	MQJ260A	MQJ320A	MQJ360A
最大切割长度	Max cutting length	2600mm	3200mm	3600mm
切割厚度（湿皮）	Max cutting thickness	40mm(wet veneer)	40mm(wet veneer)	40mm(wet veneer)
切割厚度（干皮）	(one statck	20mm(dry veneer)	20mm(dry veneer)	20mm(dry veneer)
刀具尺寸	Blade size	2700x100x10	3200x100x10	3600x100x10
功率	Motor power	4.12kw	4.12kw	4.12kw
液压压力	Hydraulic pressure	10mpa	10mpa	10mpa
外形尺寸	Overall dimensions	3680x1450x1540mm	4180x1680x1540mm	4680x1680x1540mm
重量	Net weight	2870kg	3120kg	3340kg

SD2800/3200/3600 双刀剪切机 Double Knife Guillotine Machine



用途 FUNCTION

- 液压双刀剪切机是无缝拼接木皮的必备设备，它解决了单刀在加工贴面木皮时所产生的裁切缺点，而且有效的提供生产效率，降低了生产成本，提高了原材料的利用率，并使拼接的木皮在加工中得到完美的裁切，一次工序动作双边同时精密裁切完成
- Veneer cutting machine is a piece of equipment essential for seamless veneer splicing. It solves the problem of cutting arising from the overlaying veneer by single cutter ,effectively improves working efficiency, reduces production costs and improves the utilization efficiency of raw materials. It can realize prefect cutting of spliced veneer in processing. One procedure can enable simultaneous precise cutting of both edges

型号	MODEL	SD-2800	SD-3200	SD-3600
最大切割长度	Max cutting length	2800mm	3200mm	3600mm
最大压元间距	Max spacing	100mm	100mm	100mm
切割宽度	Cutting width	15-350mm	15-350mm	15-350mm
总功率	Total power	7.5kw	8.5kw	10.5kw
刀具尺寸	Blade size	3000*120*14mm	3400*120*14mm	3800*120*14mm
外形尺寸	Dimension	4900*1600*1700mm	5200*1900*1800mm	5600*2100*1800mm
重量	Weight	7800kg	8600kg	10000kg

HXPF-1500/2800/3400 横向拼缝机 Cross Veneer Splicer Machine



用途 FUNCTION

- 此机用于木皮横向无限拼长
- This machine is use for continue joint single piece with to be big size

型号	Model	HXPF-1500	HXPF-2800	HXPF-3400
最大拼接长度	Max splicing length	350-1500mm	350-2800mm	350-3400mm
最小拼接宽度	Min splicing width	70mm (first strip 85mm)	70mm (first strip 85mm)	70mm (first strip 85mm)
拼接厚度	Splicing thickness	0.3-1.8mm	0.25-1.8mm	0.25-1.8mm
油压压力	Oil supply capacity(Hydraulic)	180L/33CST-50℃	180L/33CST-50℃	180L/33CST-50℃
拼接速度	Splicing speed	15-30 times/min	15-30 times/min	15-30 times/min
总功率	Total power	15.5kw	28kw	27.5kw
外形尺寸	Dimension	3200*2150*11800mm	4340*2150*11800mm	4950*2150*11800mm
重量	Weight	8900kg	11200kg	15200kg

S980/1800 木皮拼缝机 Veneer Splicer Machine



用途 FUNCTION

- 此机用于木皮纵向拼宽
- This machine is use for continue joint single piece with to be 4*8feet

型号	MODEL	S980	S1800	LS1800
最小木皮拼接长度	Min splicing length	300mm	300mm	300mm
木皮拼接宽度	Splicing width	50-900mm	40-1600mm	40-1600mm
木皮拼接厚度	Splicing thickness	0.3-1.2mm	0.3-2.0mm	0.3-2mm
木皮拼接速度	Splicing speed	5-30 M/min	5-50 M/min	5-50 M/min
工作台高度	Working table height	920mm	920mm	920mm
木皮拼接温度	Splicing temperature	100-220℃	100-220℃	100-220℃
压力	Pressure	5kgf/m2	5kgf/m2	5kgf/m2
功率	Total power	3kw	6.3kw	8kw
尺寸	Overall dimension	1000*1000*1500mm	2000*2000*1700mm	2100*2100*1700mm

S980/1800 manual gluing手动涂胶 LS1800 auto gluing自动涂胶

MH1114 木皮拼缝机 Veneer Sewing/Stitching Machine



用途 FUNCTION

- 此机用于木皮纵向拼宽
- This machine is use for continue joint single piece with to be 4*8feet

工作宽度	Working Width	MH1114
拼接宽度	Splicing width	1350mm
拼接厚度	Splicing thickness	0.3-4mm
拼接速度	Splicing speed	10-30m/min
工作台高度	Working table height	900mm
功率	Motor power	0.75kw
加热管功率	Heater power	400W
外形尺寸	Dimension	2450*650*1300mm
重量	Weight	480kg

ZJ300 木皮指接机 Veneer Finger Joint Machine



用途 FUNCTION

- 用于木皮梳齿，指接接长
- It can be used to finger-joint the veneer and make it longer after the veneer is sliced and dried. The joint looks like irregular finger-type teeth in shape. The maximum length of veneer finger-jointed is up to 200-300m.

型号	Model	ZJ300
最大加工宽度	Max. processing width	300mm
加工厚度	Processing thickness	0.3~0.8mm
最小加工长度	Min Processing length	800mm
完成一次指接时间	Time of finishing a joint	8~12s
总功率	Total Power	2.1kw
气压	Compressed air	0.7 m3/h
外形尺寸	Dimensions	2300*1500*1650mm
重量	Weight	800kg

FH300 木皮复合机 Veneer Fleece Laminating Machine



用途 FUNCTION

- 用于梳齿指接的木皮后面贴合一层无纺布
- It can be used to laminate fleece on the back of veneer to improve the strength and toughness for sanding. Gluing and heating is at the same time. The working speed can be adjusted stepless.

型号	Model	FH300
最大加工宽度	Max. processing width	300mm
加工厚度	Processing thickness	0.3 ~ 1mm
送料速度	Feeding speed	0 ~ 25m/min
总功率	Total Power	10.1Kw
气压	Compressed air	0.3 m3/h
外形尺寸	Dimensions	3800×1100×1700mm
重量	Weight	1400kg

SJ300 木皮收卷机 Veneer Winding Machine



用途 FUNCTION

- 用于将梳齿接长的木皮收卷
- It can be used to wind the veneer on the expansion cylinder for the use of next working procedure

型号	Model	SJ300
最大加工宽度	Max. processing width	300mm
总功率	Total Power	0.75Kw
外形尺寸	Dimensions	1400*1150*1400mm
重量	Weight	450kg

FQF300 木皮分切复卷机 Veneer Slitting Machine



用途 FUNCTION

- 用于将成卷木皮分切成不同尺寸小卷
- It can be used to slit the veneer sanded into the needed width for banding or wrapping and is equipped with adjustable tension device. The slitting width can be adjusted

型号	Model	FQF300
最大加工宽度	Max. processing width	300mm
加工厚度	Processing thickness	0.3~1mm
切割速度	Slitting speed	0~20m/min
总功率	Total Power	1.2Kw
外形尺寸	Dimensions	2150×1000×1200mm
重量	Weight	520kg

BY214*8/120/160 热压机 Hot Press Machine



用途 FUNCTION

- 用于木皮贴合多层板，密度板
- Its used for veneer laminated on plywood MDF etc

型号	MODEL	BY214*8/12(3)H	BY214x8/16(3)	BY214x8/16(5)
压力	Pressure	120T	160T	160T
热压板尺寸	Dimension of hot platens	2500x1300x42mm	2500 x 1300x 42mm	2500 x 1300x 42mm
开档	Service opening	100mm	100mm	100mm
热压板数量	Number of hot platens	4	4	6
油缸数量	Number of cylinders	6 pieces	8 pieces	8 pieces
油缸直径	Diameter of cylinders	100mm	100mm	100mm
功率	Power	4.5KW	4.5kw	7kw
导热油功率	Heating Power thermal oil furnace	37.5KW	37.5kw	55.5kw
外形尺寸	Dimensions	4000*1700*2200mm	4500*1700*2320 mm	4000*1700*2520 mm
重量	Weight	10000kgs	11500kgs	11000kgs

MYJ50/80T 液压冷压机 Hydraulic Cold Press Machine



型号	Model	MYJ50T	MYJ80T
工作压力	Max. pressure	50T	80T
压板尺寸	Dimension of the platen	1250x2500mm	1250x2500mm
工作速度	Working speed	180mm/min	180mm/min
总功率	Total power	4Kw	5.5Kw
行程	Stroke Opening	1000mm	1000mm
油缸数量	Cylinder Number	2	2
油缸直径	Cylinder Diameter	Φ110mm	Φ110mm
重量	Weight	3000Kg	3300Kg
外形尺寸	Dimensions	2860x1300x3400mm	2860x1300x3400mm

MT6106/6206/6206/6213 涂胶机 Glue Spreader Machine



用途 FUNCTION

- 用于多层板，密度板单面或双面涂胶
- Its used for single or double gluing on plywood MDF etc

型号	MODEL	MT6106	MT6206	MT6113	MT6213
加工宽度	Max gluing width	600mm	600mm	1300mm	1300mm
工作厚度	Working thickness	60mm	60mm	60mm	60mm
辊子数量	Number of rollers	3	4	3	4
辊子材质	Roller material	Chrome & rubber	Chrome & rubber	Chrome & rubber	Chrome & rubber
辊子直径	Rubber roller diameter	200mm	200mm	200mm	200mm
涂胶速度	Glue spreading speed	24m/min	24 m/min	20 m/min	15 m/min
功率	Motor power	1.5kw	2.2kw	2.2kw	2.2kw
外形尺寸	Dimensions	1150×800×1300mm	1150×970×1300mm	2100×900×1300mm	2100×1000×1300mm
重量	Weight	400kg	450kg	600kg	700kg

BF300C/350PUR 包覆机 Profile Wrapping Machine



用途 FUNCTION

- 用于线条上木皮，PVC，装饰纸装饰
- It can be used to wrap PVC, decorative paint paper and veneer on the profile of wood material, aluminum plastic material and froth material, etc.

型号	MODEL	BF300C	BF350PUR
最大加工宽度	Max. wrapping width	300mm	350mm
包覆速度	Wrapping speed	0-25m/min	0-50m/min
总功率	Total Power	11.5Kw	13Kw
外形尺寸	Dimensions	4700×750×2100mm	6700×900×2100mm
重量	Weight	1350kg	1700kg

WV2300A-2Z/WVP2580A 正负压覆膜机 Positive and Negative Vacuum Membrane Press Machine



用途 FUNCTION

- 用于橱柜，门板，家具等表面贴PVC，木皮
- It can be used to cover PVC on the surface of the craft compound door, furniture, cabinet

型号	MODEL	WV2300A-2Z	WVP2580A
工作台尺寸	Worktable size	2300×1100mm*2	2580×1280mm*2
最大加工尺寸	Max Workpiece size	2150×1000mm	2500×1220mm
总功率	Total power	25 Kw	57.2 Kw
压力	Working pressure	-0.1Mpa	P:0.4-0.5Mpa,N:-0.08mpa
重量	Weight	1600kg	11000kg
外形尺寸	Dimensions	7900×1800×1800mm	11000×2250×2050mm

CA12 12

刀库开料机
ATC CNC ROUTER MACHINE




用途 FUNCTION

- 用于板式家具的加工
- Its used for cutting plywood, MDF, particleboard etc

型号	MODEL	CA12
工作台尺寸	Working table	2440*1220mm
加工行程	Working Area (X, Y, Z axis)	1300*2500*200mm
工作台	Worktable	Vacuum worktable or T-slot Aluminum 真空或者T工作台
主轴功率	Spindle motor	9kw Air-cooling Spindle JST/CS/CC 风冷
驱动电机	Driving motor	0.85kw*4, Servo Motor(Double motor with Y AXIS)
真空泵功率	Vacuum pump motor	7.5kw WATER cooling 水冷
刀库	Blade store	12 blade tools
刀具直径	Tool Diameter	φ3.175-φ12.7mm
支持软件	Support software	Artcam, Alphacam, Mastercam, Type3, UG, Caxa, JD Paint etc.
导轨	Guide way	Taiwan linear rail for X, Y, Z axis
加工精度	Working precision	±0.05mm
外形尺寸	Dimension	2250*3800*2200mm
重量	Weight	2600kg

SC468J 封边机 Edge Banding Machine



用途 FUNCTION

- 用于板式家具的封边
- Its used for edge banding plywood, MDF, particleboard etc

型号	MODEL	SC468J
封边带厚度	Edge belt thickness	0.4-3mm
封边带宽度	Edge belt width	12-62mm
板材厚度	Work piece thickness	10-60mm
加工长度	Work piece length	>150mm
加工宽度	Work piece width	>60mm
气压	Working pressure	0.6Mpa
总功率	Total power	16.45kw
外形尺寸	Dimension	6604x830x1610mm
重量	Weight	2100kg

CNC2800 CNC侧孔钻 CNC Side Drilling Machine




用途 FUNCTION

- 用于家具板侧面打孔
- Its used for plywood, MDF, particleboard etc side drilling

型号	Model	CNC2800
最大加工长度	Max working length X	2800mm
最大加工厚度	Max Working thickness Y	60mm
最大加工深度	Max working depth Z	40mm
最大加工速度	Max working speed	105m/min
主轴转速	Main spindle rotary speed	18000rpm/min
主轴功率	Main spindle power	2.2kw*2SETS
工作台 高度	Working table height	800mm
外形尺寸	Dimension	3400*1700*1400mm
重量	Weight	900kg

MZ73211/73213/73216 多排钻 Multiple Row Boring Machine



用途 FUNCTION

- 多排钻用于板式家具表面钻孔
- Multiple row drilling machine used for drilling hole on the furniture panels

型号	Model	MZ73211B	MZ73213A	MZ73216A
最大钻孔直径	Max drilling diameter	35mm	35mm	35mm
最大加工厚度	Max working thickness	70mm	70mm	70mm
最大加工深度	Max drilling depth	60mm	60mm	60mm
主轴数量	Spindle numbers	21shafts	21shafts*3	21shafts*6
功率	Motor power	1.5kw	4.5kw	9kw
气压	Air pressure	0.6-0.8MPa	0.6-0.8MPa	0.6-0.8MPa
外形尺寸	Dimension	2000*1300*1300mm	3100*1200*1650mm	4500*1300*1650mm
重量	Weight	480KGS	1300KGS	2800KGS

YZZ-612/612S 6面钻 6 Side CNC Boring Machine



用途 FUNCTION

- 6面钻用于板式家具表面钻孔
- 6sides drilling machine used for drilling hole on the furniture panels

型号	MODEL	YZZ-612	YZZ-612S
加工长度	Working length	250-2750mm	250-2750mm
加工宽度	Working width	35-1200mm	30-1200mm
加工厚度	Working thickness	10-50mm	10-50mm
X轴A轴夹手	Maximum moving speed of the A-axis claw	130mm/min	130mm/min
Y轴B轴左右	Maximum moving speed of Y-axis	95mm/min	95mm/min
Z轴C轴上下	Maximum moving speed of Z-axis	35mm/min	35mm/min
上钻包	Number of top vertical tools	Vertical top11 + horizontal 8	Vertical top12 + horizontal 8*2units
下钻包	Number of vertical tools	Vertical 9	Vertical 9
钻包功率	Tools power	2.2kw*2sets	2.2kw*2sets
刀柄直径	Drill clamp specifications	Φ10mm	Φ10mm
总功率	Total power	18KW	18KW
气压	Working air pressure	0.6MPa	0.6MPa
上主轴功率	Upper high-speed spindle	3.7KW	3.7KW
下主轴功率	Down high-speed spindle	3.7KW	2.2KW
外形尺寸	Dimension	5500*2650*2050mm	4950*2880*2050mm
重量	Weight	4000kgs	4500kgs

MZB7320 吸音板数控钻 CNC Acoustic Panel Drilling Machine

用途 FUNCTION

- 用于吸音板钻孔，梅花或菱形
- The CNC drilling machine is used for drilling sound-absorbing panels or cement fiberboards. It can be used as a plum hole or a rectangular hole to drill through the movement of the table.

型号	MODEL	MZB7320	MZB7320B
钻孔深度	Boring depth	35mm	35mm
最大钻孔直径	Max boring diameter	12mm	12mm
总钻头数	Total rows	6*26pieces	10*25pieces
总功率	Motor power	22Kw	34.2Kw
X轴功率	X axis power	1.2kw	1.2kw
Y轴功率	Y axis power	1.5kw	1.5kw*2sets
钻排功率	Drilling head power	18kw(12sets *1.5kw)	30kw(20sets *1.5kw)
液压功率	Hydraulic power	1.5kw*2 sets	1.5kw*2 sets
工作压力	Working oil pressure	0.6-0.8MPa	0.8MPa
液压压力	Working hydraulic	2-4Mpa	2-4Mpa
钻孔尺寸	Plum blossom hole size	32*32mm(16*16mm)	32*32mm(16*16mm)
最大加工尺寸	Max working size	2440*1220mm	3960*1830mm
外形尺寸	Dimension	3500*2000*1780mm	5200*2200*1800mm
重量	Weight	3200kg	4000kgs



YZJ330/380 电子开料锯 CNC Computer Beam Saw



用途 FUNCTION

- 用于板式家具的切割
- Its used for cutting plywood, MDF, particleboard etc

型号	Name/ model	YZJ330	YZJ380
切割长度	Cutting length	3200mm	3800mm
最大锯切高度	Max height of saw blade	120mm	120mm
切割厚度	Cutting thickness	0-90mm	0-90mm
送料速度	Feeding speed	0-80m/min	0-80m/min
切割速度	Cutting speed	0-100m/min	0-100m/min
送料功率	Feeding power	1.3KW servo motor	1.3KW servo motor
小车牵引功率	Trolley traction motor power	1.3KW servo motor	1.3KW servo motor
主锯功率	Main saw power	15KW aluminum alloy motor	15KW aluminum alloy motor
槽锯功率	Scoring saw power	2.2KW aluminum alloy motor	2.2KW aluminum alloy motor
风机功率	Fan power	2.2KW	2.2KW
总功率	Total power	22KW	22KW
主锯直径	Main saw diameter	380mm/400mm	380mm/400mm
主锯内径	Inner hole of main saw blade	60mm	60mm
槽锯直径	Scoring saw diameter	180mm	180mm
槽锯内径	Inner hole of scoring saw blade	45mm	45mm
外形尺寸	Dimension	5500*6500*1750mm	6000*6500*1750mm
重量	Weight	6000KGS	7000KGS

MJ1300-X3/MJ1350-XD4 多片锯 Multiple Rip Saw Machine

用途 FUNCTION

- 用于多层板，密度板，刨花板等多片切割或开槽
- Its used for plywood,MDF,particleboard multiple cutting or grooving



型号	Model	MJ1300-X3	MJ1350-XD4
最大加工宽度	Max Working width	1260 mm	1350 mm
加工厚度	Working thickness	5-25 mm	5-50 mm
最小加工长度	Min. Working Length	650 mm	650 mm
主轴转速	Spindle Speed	2600 RPM	2600 RPM
锯片直径	Saw Blade Diameter	205 mm	255 mm
主轴功率	Spindle Motor Power	18.5 kw	37 kw
送料功率	Feeding Motor Power	1.5 kw	3 kw
总功率	Total Power	20 kw	40kw
送料速度	Feeding Speed	0-12 m/min	0-15 m/min
外形尺寸	Dimensions	2030*1800*1230 mm	2830*1830*1530 mm
重量	Weight	2200KGS	2500 KGS

YH/ZYH122 木纹压花机 Wood Grain Embossing Machine

用途 FUNCTION

- 用于密度，板胶合板，实木板等表面压纹
- Its used for embossing wood grain on MDF, Plywood, solid wood panels

型号	MODEL	YH122	ZYH122
加工宽度	Working Width	200-1220mm	200-1220mm
加工厚度	Working Thickness	2-60mm	2-150mm
送料功率	Feeding roller	4kw	3kw
压花辊功率	Embossing roller	12kw	12kw
送料速度	Feed Speed	0-13m/min	1-5m/min
升降功率	Lifting power	0.55kw	0.55kw
压花辊直径	Roller size	φ320	φ400
总功率	Total power	16.55kw	3kw
外形尺寸	Dimensions	2550*1500*1500mm	3300L*1200*1500mm
重量	Weight	2800KGS	3500KGS



PAINTING SERIES
喷漆系列

LSPM400

线条喷漆机
Automatic Profile Spraying Machine



用途 FUNCTION

- 用于木线条的喷涂
- Its used for wood profiles spray painting

型号	MODEL	LSPM400
加工宽度	Working width	10-400mm
加工厚度	Working thickness	10-100mm
最小加工长度	Min. working length	700mm
工作他高度	Working table height	900-950mm
送料速度	Feeding speed	0-50m/min
喷枪数量	Working spraying gun	3pcs
工作气压	Working pressure	0.5-0.8Mpa
总功率	Total power	2.25Kw
外形尺寸	Dimension	3500×1700×2560mm
重量	Weight	1600Kg

FCF250-M 5轴数控喷涂 5 Axis CNC Spray Painting Machine

用途 FUNCTION

- 用于橱柜，木门一次五个面的喷涂
- Its used for five sides wood cabinet and doors spray painting



型号	Model	FCF250-M
最大喷涂尺寸	Max. spraying size	2500*1100*150mm
最大承重	Max. weight of door	70KG
喷枪速度	Gun reciprocate speed	0-1500mm/s
喷枪直径	Caliber of gun	0.8/1.0/1.3
喷枪数量	Working spray gun	2 pieces
工作压力	Working pressure	0.6Mpa
伺服电机	Servo motor	4kw
空气消耗	Air consumption	700-900L/min
外形尺寸	Dimension	4650*2600*2500mm
重量	Weight	2200kg

FWE130 往复喷涂 Reciprocating Spray Painting Machine

用途 FUNCTION

- 用于橱柜，木门一次五个面的喷涂
- Its used for five sides wood cabinet and doors spray painting




Model	FWE130
Max painting width	1200mm
Max painting thickness	5-100mm
Painting thickness range	2.8mm
Max spray speed	2500mm/min
Working spray gun	4pieces(max 8 pieces)
Caliber of spray gun	0.9/1.2
Servo motor	4kw
Air pressure	0.3MPA
Dimension	5000*4400*3500mm
weight	2200kg
Air consumption	700-900L/min
Weight	4000kgs

HT200 真空喷涂机 Vacuum Painting Line

用途 FUNCTION

- 用于木线条真空喷涂
- Its used for wood profiles vacuum painting



型号	Model	HT200
最大加工宽度	Max Working width	180mm
最大加工厚度	Max Working thickness	80mm
最小加工长度	Min length	600mm
输送带速度	Conveyor speed	0-30m/min
真空喷涂功率	Vacuum painting power	15KW
送料功率	Conveyor power	0.75kw
UV干燥功率	UV curing power	25kw
UV输送功率	Conveyor power	0.4kw
外形尺寸	Dimension	7050*1600*1600mmm
重量	Weight	1700kg

MB523F/524F 斜口平刨 Tiled Surface Planer Machine

H400/500/630

压刨
Thickness Planer Machine



用途 FUNCTION

- 用于切削木材
- Its used for cutting wood

型号	MODEL	H400	H500	H630
最大加工宽度	Max. Planning Width	400mm	500mm	630mm
加工厚度	Planning Thickness	8-200mm	8-200mm	8-200mm
最大切削厚度	Max. cutting depth	5mm	5mm	5mm
送料速度	Feed Speed	7/12m/min	7/12m/min	7/12m/min
主轴转速	Spindle Speed	5500r/min	5500r/min	5500r/min
主电机功率	Main Motor Power	5.5kw	5.5kw	7.5kw
刀具数量	Blade number	4 pcs	4 pcs	4 pcs
主轴直径	Spindle diameter	φ150	φ150	φ150
外形尺寸	Dimension	823*894*1143mm	923*894*1143mm	1053*849*1443mm
重量	Weight	405kg	450kg	495kg

Optional: Spiral cutter available

用途 FUNCTION

- 用于切削木材
- Its used for cutting wood

型号	MODEL	MB523F	MB524F
最大加工宽度	Max. Planning Width	300mm	400mm
最大切削厚度	Max. cutting depth	4mm	5mm
刀片数量	Tool quantity	3pieces	4 pieces
主轴转速	Spindle Speed	5600r/min	5600r/min
工作台长度	Working table length	1800mm	2500mm
主电机功率	Main Motor Power	2.2kw	3kw
外形尺寸	Dimension	1800*740*1010mm	2500*810*1050mm
重量	Weight	300kg	440kg

Optional: Spiral cutter available

MB504F/505F/506F 直口平刨 Straight Surface Planer Machine

MB104C/150C/106C 电动升降压刨 Electrical Lifting Thickness Planer Machine



用途 FUNCTION

- 用于切削木材
- Its used for cutting wood

型号	MODEL	MB104C	MB105C	MB106C
最大加工宽度	Max. Planning Width	430mm	530mm	630mm
加工厚度	Planning Thickness	10-270mm	10-270mm	10-270mm
最大切削厚度	Max. cutting depth	5mm	5mm	5mm
最小加工长度	Min cutting length	230mm	230mm	230mm
送料速度	Feed Speed	5/8/12/18m/min	5/8/12/18m/min	5/8/12/18m/min
主轴转速	Spindle Speed	5200r/min	5200r/min	5200r/min
主电机功率	Main Motor Power	4.75kw	6.25kw	8.25kw
升降功率	Lifting motor power	0.75kw	0.75kw	0.75kw
外形尺寸	Dimension	990*1010*1150mm	992*1130*1160mm	990*1240*1150mm
重量	Weight	600kg	650kg	800kg

Optional: Spiral cutter available

用途 FUNCTION

- 用于切削木材
- Its used for cutting wood

型号	MODEL	MB504F	MB505F	MB506F
最大加工宽度	Max. Planning Width	400mm	500mm	630mm
最大切削厚度	Max. cutting depth	5mm	5mm	5mm
刀具数量	Tool quantity	4 pieces	4pieces	4pieces
主轴转速	Spindle Speed	5000r/min	5000r/min	5000r/min
工作台长度	Working table length	2500mm	2500mm	2500mm
主电机功率	Main Motor Power	3kw	4kw	5.5kw
外形尺寸	Dimension	2500*810*1050mm	2500*910*1050mm	2500*1040*1050mm
重量	Weight	450kg	550kg	640kg

MJ344/345/34 立式带锯 Vertical Band Saw Machine



用途 FUNCTION

- 用于切削木材
- Its used for cutting wood

型号	MODEL	MJ344	MJ 345	MJ 346
功率	Power of model	2.2KW	2.2KW	3.0KW
锯轮转速	Wheel speed	1000r/min	1000r/min	900r/min
切割深度	Depth of cut	300mm	300mm	300mm
工作台角度	Tilting of table	0-45°	0-45°	0-30°
锯轮直径	Wheel diameter	400mm	500mm	600mm
外形尺寸	Dimensions	820*620*1700mm	920*650*1900mm	1020*660*2050mm
重量	Weight	180KG	220KG	300 KG

MX5117B 立铣 Spindle Moulder



用途 FUNCTION

- 用于木线条铣型
- Its used for moulding wood profiles

MODEL	MX5117B
Spindle speed	10000/8000/6000r/min
Spindle diameter	35mm
Max milling thickness	120mm
Spindle lifting height	100mm
Motor power	4/5.5/7kw
Table size	1130*670mm
Overall dimensions	1130*670*1000mm
Weight	338kgs

HJD-M421A 四面刨 Four-side Planer Machine



用途 FUNCTION

- 用于一次四面刨削，用于不同形状木线条加工
- Its used for four side planing/moulding, for making profiles

型号	Model	M421A	HJD-M423A	HJD-M621A
加工宽度	Working width	25-210mm	25-230mm	25-210mm
加工厚度	Working thickness	8-120mm	8-120mm	8-120mm
工作台长度	Work table size	1800mm	1800mm	1800mm
送料速度	Feeding speed	10-50m/min	10-50m/min	6-40m/min
主轴直径	Main spindle diameter	Φ40mm	Φ40mm	Φ40mm
主轴转速	Spindle rotary speed	6000r/min	6000r/min	6000r/min
气压	Air pressure	0.6MPa	0.6MPa	0.6MPa
第1下轴功率	1st Lower spindle	5.5kw	5.5kw	5.5kw
第1上轴功率	1st Upper spindle	7.5kw	7.5kw	7.5kw
右立轴功率	Right vertical spindle	5.5kw	5.5kw	5.5kw
左立轴功率	Left vertical spindle	5.5kw	5.5kw	5.5kw
第2上轴功率	2nd Lower spindle			5.5Kw
第2下轴功率	2nd Upper spindle			7.5Kw
横梁升降功率	Beam lifting motor	0.75kw	0.75kw	0.75kw
送料功率	Feeding motor	4kw	4kw	4kw
第1下轴	1st Lower spindle	Φ125mm	Φ125mm	Φ125mm
第2下轴	2nd Lower spindle			Φ125-180mm
右立轴	Right vertical spindle	Φ125-180mm	Φ125-180mm	Φ125-180mm
左立轴	Left vertical spindle	Φ125-180mm	Φ125-180mm	Φ125-180mm
第1上轴	1st Upper spindle	Φ125-180mm	Φ125-180mm	Φ125-180mm
第2上轴	2nd Upper spindle			Φ125-180mm
送料轮直径	Feeding roller diameter	Φ140mm	Φ140mm	Φ140mm
吸尘口直径	Dust pipe diameter	Φ125	Φ125	Φ140mm
外形尺寸	Dimension	3550*1630x1750mm	3550*1630x1750mm	4100*1630x1750mm
重量	Weight	3000kg	3000kg	3500kg

S120/260

优选锯
Optimizing Cutting Saw Machine



Sequential model



Defect removal



Mixed model



用途 FUNCTION

- 用于优选切割木材
- Its used for optimizing cutting the wood and square size

型号	Name/ model	S120	S260
加工宽度	Working width	20-120mm	20-260mm
加工厚度	Working thickness	12-50mm	12-80mm
最大切割尺寸	Max.cuting size	80x50mm	180x80mm/150x100mm
工作台宽度	Width of work table	330mm	330mm
最小加工长度	Min length	400mm	400mm
送料台宽度	Feeding table width	80m/min	80m/min
送料辊数量	Feeding roller number	5 units	5 units
锯片尺寸	Saw blade size	405mm/455mm	455mm/510mm
锯轴转速	Saw shaft speed	3500r/min	3500r/min
锯片功率	Saw blade motor power	5.5kw	5.5kw
锯片上下切割速度	Saw cutting up down speed	2-4times/1s	2-4times/1s
升降功率	Lift motor power	3kw	3kw
送料功率	Feed motor power	3kw	3kw
总功率	Total power	12.43KW	12.43KW
空气耗量	Air Tolerance	1000NL/min	1000NL/min
气压	Air Pressure	0.6mpa	0.6mpa
重量	Weight	1000KGS	1000KGS
外形尺寸	Dimensions	6500x1400x1800mm	6500x1400x1800mm

MXB3515C/3515 梳齿机 Wood Finger Tenoning Machine



Machine model	MXB3515C autoglu	MXB3515 Manual glue
Max working width	500mm	500mm
Max working thickness	100mm	100mm
Main spindle speed	5500r/min	5500r/min
Jointing cutter dia	160mm	160mm
Jointing cutter spindle dia	40/50mm	40/50mm
Max balde dia	305mm	305mm
End trimming motor	3kw	3kw
Jointing cutter motor	11kw	11kw
Feeding speed	0.75kw	0.75kw
Top and bottom saw power	0.75kw*2	

MHB1545A 对接机 Automatic Wood Joint Machine




用途 FUNCTION

- 用于梳齿木方接长
- Its used for tenoning wood longer jointing

型号	Model	MHB1545A auto feeding	MHB1545A manual feeding
最大加工长度	Max working length	4500mm	4500mm
最大加工宽度	Max working width	120mm	120mm
最大加工厚度	Max working thickness	70mm	70mm
工作压力	Max working pressure	5000kgs	5000kgs
齐头功率	End trimming motor	2.2kw	2.2kw
液压功率	Hydraulic motor power	4.5kw	4 kw
送料功率	Feeding motor	0.75kw	
外形尺寸	Dimension	4800*900*1450mm	4500*900*1450mm

MY3000B/3500B/4000B 液压拼版机 Hydraulic Composer Machine



用途 FUNCTION

- 用于实木拼版
- Its used for joint wood to be big panels

型号	MODEL	MY3000B	MY3500B	MY4000B
最大加工长度	Max working length	3000	3500	4000
最大加工宽度	Max working width	1250mm	1250mm	1250mm
加工厚度	Working thickness	10 ~ 80mm	10 ~ 80mm	10 ~ 80mm
排数	Row	6	6	6
每排夹具	Each row clamp number	8	10	10
旋转功率	Rotary power	1.1kw	1.1kw	1.1kw
液压功率	Hydraulic power	4kw	4kw	4kw

A字形液压拼版机 A Model Hydraulic Board Composer Machine



用途 FUNCTION

- 用于实木拼版
- Its used for joint wood to be big panels

型号	MODEL	A4000	A5000	A6000
最大加工长度	Max working length	4000mm	5000mm	6000mm
最大加工宽度	Max working width	1300mm	1300mm	1300mm
最大加工厚度	Max Working thickness	150mm	150mm	150mm
上油缸直径	Upper oil cylinder size	φ80mm	φ80mm	φ80mm
上油缸数量	Upper oil cylinder numbers	10pcs	10pcs	12pcs
侧油缸直径	Side oil cylinder size	φ40mm	φ40mm	φ40mm
侧油缸数量	Side oil cylinder numbers	10pcs	10pcs	12pcs
升降油缸直径	Lifting oil cylinder size	φ63mm	φ63mm	φ63mm
升降油缸数量	Lifting oil cylinder numbers	4pcs	4pcs	4pcs
液压功率	Hydraulic power	5.5kw	5.5kw	5.5kw
压力	Pressure	16Mpa	16Mpa	16Mpa
外形尺寸	Dimension	5000*2300*2320mm	5600*2300*2320mm	6400*2300*2320mm
重量	Weight	4800kg	5500kg	6500kg

MJ153/163 单片锯 Single Rip Saw Machine



用途 FUNCTION

- 用于实木单据片切割/修边
- Its used for solid wood single piece cutting

型号	Model	MJ153	MJ163
锯片最大直径	Max. saw blade diameter	305mm	355-405mm
最大锯切宽度	Max. working width	360mm	390mm
锯切厚度	Working thickness	5-85mm	10-90mm
最小锯切长度	Min working length	320mm	230mm
送料速度	Feeding speed	12-22m/min	10-33m/min
主轴转速	Spindle speed	3750r/min	3600r/min
工作台尺寸	Working table size	1550*950mm	1820*970mm
主轴直径	Spindle diameter	Φ25.4mm	Φ50.8mm
送料功率	Feeding motor power	0.75kw	1.5kw
主电机功率	Main motor power	7.5kw	11kw
总功率	Total power	8.25kw	12.5kw
外形尺寸	Dimension	1560×970×1430mm	2100×1200×1450mm
重量	Weight	750kg	1600kg

MJ1415/1432 多片锯 Multi-Rip Saw Machine




用途 FUNCTION

- 用于实木多据片切割/修边
- Its used for solid wood multiple piece cutting

型号	Model	MJ1415	MJ1432
最大锯切宽度	Max. working width	180mm	320mm
最大锯切厚度	Max. working thickness	65mm	100mm
送料速度	Feeding speed	3-16m/min	3-16m/min
最小锯切长度	Min working length	260mm	250mm
主轴转速	Sawing shaft rotation	3600r/min	3600r/min
主电机功率	Sawing motor power	11kw	30kw
送料功率	Feeding motor power	1.5kw	3kw
升降功率	Lifting motor power	0.75kw	
总功率	Total power	13.25kw	34.5kw
气压	Supply air	0.6MPa	0.6MPa
外形尺寸	Dimension	1600×980×1480mm	2700×1200×1700mm
重量	Weight	900kg	1800kg

MB470/630 双面刨

Two Side Thickness Planer Machine



用途 FUNCTION

- 用于实木双面切削
- Its used for double side solid wood planing

型号	MODEL	MB470	MB630
最小加工长度	Min working length	320mm	320mm
最大加工宽度	Max. working width	470mm	630mm
加工厚度	Max. working thickness	10-200mm	10-200mm
送料速度	Feeding speed	6-13m/min	6-13m/min
主轴转速	Spindle rotation speed	5000r/min	45000r/min
上主轴功率	Top spindle power	7.5Kw	11Kw
下主轴功率	Bottom spindle power	5.5Kw	7.5Kw
送料电机功率	Feeding motor power	2.2kw	2.2Kw
升降电机功率	Lifting motor power	0.37Kw	0.37Kw
总功率	Total power	15.57kw	25.07Kw
外形尺寸	Dimension	2650×980×1800mm	2650×1150×1800mm
重量	Weight	2300Kg	2600Kg


WB1300 板材压刨机 Panel Thickness Planer Machine



用途 FUNCTION

- 用于实木以及板材表面的凹凸设计
- Its used for different board surface unevenness design, like solid wood, plywood etc

型号	MODEL	WB1300
加工宽度	Max working width	1300mm
加工厚度	Working thickness	5-110mm
送料速度	Feeding speed	0.1-30m/min(inverter)
主电机	Main power	22KW
送料电机	Feeding motor	4kw
升降电机	Lifting motor	0.55kw
外形尺寸	Dimension	2200*2100*1600mm
重量	Weight	2960KGS



F45-320/380 裁板锯 Panel Saw Machine



用途 FUNCTION

- 裁板锯用来切割板材，胶合板，密度板以及刨花板等等
- Panel saw used for cutting different panel boards,such like plywood,MDF,particleboard etc

型号	MODEL	F45-380E	F45-320E
推台尺寸	Dimensions of sliding table	3800*422mm	3200*422mm
最大锯切厚度90度	Max sawing thickness(90°)	95mm 350mm saw	95mm 350mm saw
最大锯切厚度45度	Max sawing thickness(45°)	65mm 350mm saw	65mm 350mm saw
主锯片功率	Power of main saw spindle	5.5kw	5.5kw
主锯片转速	Rotary speed of main saw spindle	4500/5500r/min	4500/5500r/min
主锯片直径	Diameter of main saw	350mm	350mm
主锯片内径	Diameter of main saw spindle	30mm	30mm
开槽锯功率	Power of grooving saw	0.75kw	0.75kw
开槽锯转速	Rotary speed of grooving saw	8100r/min	8100r/min
开槽锯直径	Diameter of grooving saw	120mm	120mm
开槽锯内径	Diameter of grooving saw spindle	22mm	22mm
锯切角度	Tilting saw blade	45°	45°
外形尺寸	Dimension	3800*1100*840mmm	3200*1100*840mmm
重量	Weight	900kg	800kg

MJ6132/38 裁板锯 Panel Saw Machine



用途 FUNCTION

- 裁板锯用来切割板材，胶合板，密度板以及刨花板等等
- Panel saw used for cutting different panel boards,such like plywood,MDF,particleboard etc

型号	MODEL	MJ6138	MJ6132
推台尺寸	Sliding table size	3800x388mm	3200x388mm
主锯片直径	Diameter of main saw	Φ300xΦ30mm	Φ300xΦ30mm
开槽锯直径	Diameter of grooving saw	Φ120xΦ22mm	Φ120xΦ22mm
最大锯切厚度90度	Max sawing thickness(90°)	90mm 350mm saw	90mm 350mm saw
最大锯切厚度45度	Max sawing thickness(45°)	65mm 350mm saw	65mm 350mm saw
主锯片功率	Power of main saw spindle	4kW	4kW
开槽锯功率	Power of grooving saw	0.75kW	0.75kW
主锯片转速	Rotary speed of main saw	4200/5300rpm	4200/5300rpm
开槽锯转速	Rotary speed of grooving saw	8100rpm	8100rpm
锯切角度	Tilting saw blade	45°	45°
重量	Weight	800Kg	750Kg